



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

THE BOTANICAL GAZETTE

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS

THE CAMBRIDGE UNIVERSITY PRESS
LONDON

THE MARUZEN-KABUSHIKI-KAISHA
TOKYO, OSAKA, KYOTO, FUKUOKA, SENDAI

THE MISSION BOOK COMPANY
SHANGHAI

THE
BOTANICAL GAZETTE

EDITOR
JOHN MERLE COULTER

VOLUME LXXIV
SEPTEMBER-DECEMBER 1922

WITH NINETEEN PLATES AND ONE HUNDRED THIRTY-THREE FIGURES



THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS

Published
September, October, November, December, 1922

Composed and Printed By
The University of Chicago Press
Chicago, Illinois, U.S.A.

TABLE OF CONTENTS

	PAGE
Development of plant communities of a sand ridge region in Michigan (with twelve figures) - -	1
<i>W. G. Waterman</i>	
Sulphur content of soils and its relation to plant nutrition. Contributions from the Hull Botanical Laboratory 297 (with one figure) -	32
<i>Scott V. Eaton</i>	
Effect of autolized yeast and peptone on growth of excised corn root tips in the dark (with eight figures) - - - - -	59
<i>Wm. J. Robbins</i>	
Leaves of the Farinosae (with plates I-III) - -	80
<i>Agnes Arber</i>	
Inheritance of fruit shape in <i>Curcubita pepo</i> . I. (with three figures) - - - - -	95
<i>E. W. Sinnott</i>	
Biochemistry of plant diseases. IV. Proximate analysis of plums rotted by <i>Sclerotinia cinerea</i> (with two figures) - - - - -	104
<i>J. J. Willaman and F. R. Davison</i>	
"Magnesia injury" of plants grown in nutrient solutions - - - - -	110
<i>W. F. Gericke</i>	
<i>Heterotheca Grievii</i> the microsporangium of <i>Heterangium Grievii</i> (with plates IV, V, and eight figures) - - - - -	121
<i>Margaret Benson</i>	
Early embryogeny of <i>Reboulia hemisphaerica</i> (with forty-seven figures) - - - - -	143
<i>A. W. Dupler</i>	
Specific acidity of water extract and oxalate content of foliage of African sorrel (with one figure) - - - - -	158
<i>G. P. Walton</i>	
Microbiology of flax retting - - - - -	174
<i>Fred W. Tanner</i>	
Anatomy of a gall on <i>Populus trichocarpa</i> (with plate VI) - - - - -	186
<i>Karl C. Hyde</i>	
Pollination in alfalfa (with five figures) - - -	197
<i>F. A. Coffman</i>	
Protective power against salt injury of large root systems of wheat seedlings - - - - -	204
<i>W. F. Gericke</i>	

A new fruit rot of tomatoes (with plate VII) - -	<i>R. Frank Poole</i>	210
Effect of seeds upon hydrogen-ion concentration of solutions - - - - -	<i>W. Rudolfs</i>	215
Physiological studies of effects of formaldehyde on wheat (with twelve figures) - - - -	<i>W. M. Atwood</i>	233
Development of the Geoglossaceae (with plates VIII-XII) - - - - -	<i>G. H. Duff</i>	264
A morphological study of the Umbelliferae. Contributions from the Hull Botanical Laboratory 298 (with plates XIII, XIV) - - - -	<i>H. S. Jurica</i>	292
Determination of moisture content of expressed plant tissue fluids - - - - -	<i>R. A. Gortner and W. F. Hoffman</i>	308
Moisture content of peach buds in relation to temperature evaluations (with two figures) -	<i>Earl S. Johnston</i>	314
<i>Alternaria</i> from California (with two figures) - -	<i>D. G. Milbraith</i>	320
<i>Basisporium gallarum</i> Moll., a parasite of the tomato (with eleven figures) - - - -	<i>G. B. Ramsey</i>	325
Ecological factors in region of Starved Rock, Illinois. Contributions from the Hull Botanical Laboratory 299 (with five figures) - - - -	<i>Frank Thone</i>	345
Notes on neotropical ant-plants. I. <i>Cecropia angulata</i> , sp. nov. (with plate XV and eight figures) - - - - -	<i>I. W. Bailey</i>	369
Prothallia of <i>Lycopodium</i> in America. II. <i>L. lucidulum</i> and <i>L. obscurum</i> var. <i>dendroideum</i> . Contributions from the Hull Botanical Laboratory 300 (with plates XVI-XVIII) - - -	<i>E. A. Spessard</i>	392
New South American Asteraceae collected by E. W. D. Holway (with plate XIX) - - -	<i>S. F. Blake</i>	414
Recent studies of Phaeophyceae and their bearing on classification - - - - -	<i>Wm. R. Taylor</i>	431
A method for estimating hydrophilic colloid content of expressed plant tissue fluids (with one figure) - - - - -	<i>R. Newton and R. A. Gortner</i>	442
Growth of plants in artificial light (with two figures) - - - - -	<i>R. B. Harvey</i>	447

BRIEFER ARTICLES—

Sagenopteris, a mesozoic representative of the
Hydropteraceae (with one figure) - - - *E. W. Berry* 329

A bisporangiate sporophyll of *Lycopodium*
lucidulum (with one figure) - - - *A. W. Dupler* 331

A simple apparatus for controlling tempera-
tures (with one figure) - - - *E. E. Hubert* 333

CURRENT LITERATURE - - - - - 114, 221, 335, 452

For titles of book reviews see index under
author's name and reviews

Papers noticed in "Notes for Students" are
indexed under author's name and subjects

DATES OF PUBLICATION

No. 1, September 15; No. 2, October 16; No. 3, November 23; No. 4,
December 21.

ERRATA

VOL. LXXIV

P. 57, line 10, for higher read lower

P. 181, footnote line 4, for FINDFUSZ read RINDFUSZ

P. 300, line 7, for even read do not even

P. 316, fig. 1, lowest filled circle of 1921 curve should be open circle of 1919
curve